



## JSC "NEFCO"

Joint-Stock Company "NEFIS COSMETICS" - Kazan Chemical Complex named after M. Vahitov (soap and candle producing factory №1 of the former Krestovnikovs)

### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Date of Issuance: 25.7.2020

Date of Inspection:

BiMax "100 stains" automatic synthetic powder detergent  
TU 2381 -126-00336562-2007

## 1. IDENTIFICATION OF MATERIAL

### 1.1 Identification of product

Trade Name:

### 1.2 Relevant identified uses of the substance or mixture and not recommended uses **POWDER** washing synthetic universal

### 1.3 Details of the supplier of the material safety data sheet

152 Gabdulla Tukaya street, Kazan, Republic of Tatarstan, Russia, 420021 Main state registration number 1021603463705. Phone: +78435704191 email Address: gensec@nefco.ru

## 2. HAZARD IDENTIFICATION:

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP]:**

Causes serious eye irritation, Category 2 - H319

Full text of H-phrases see Section 16.

### 2.2 Labeling elements

**Hazard pictograms:**



**Signal word: Warning:**

**Hazard statements:**

H319 Causes serious eye irritation

**Precautionary statements:**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

### 2.3 Other hazards

No additional information available.



## JSC "NEFCO"

Joint-Stock Company "NEFIS COSMETICS" - Kazan Chemical Complex named after M. Vahitov (soap and candle producing factory №1 of the former Krestovnikovs)

### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Date of Issuance: 25.7.2020

Date of Inspection:

BiMax "100 stains" automatic synthetic powder detergent  
TU 2381 -126-00336562-2007

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

Name of ingredients	Content v hm%	EC No.	CAS No.
Anionic surfactants: Sodium alkylbenzenesulfonate, alkyl obtained by neutralization- Benzenesulfonic acids	5-8	270-115-0	68411-30-3

**Classification according to Regulation (EC) No. 1272/2008 [CLP]:**  
Causes serious eye irritation, Category 2 - H319

Neonol AF 9-10, AF 9-12

Or Syntanol ALM-7 1-3 polymer 9016-45-9

**Classification according to Regulation (EC) No. 1272/2008 [CLP]:**  
Acute toxicity, oral, Acute Tox. 4, H302  
Causes serious eye damage, H318  
Dangerous for aquatic environment, Aquatic Chronic 3, H412

Soap (sodium oleate) 1 143-19-1

**Classification according to Regulation (EC) No. 1272/2008 [CLP]:**  
Causes serious eye irritation, Category 2 - H319

Full text of H-phrases mentioned in Section 16.

### 4. FIRST AID INSTRUCTIONS:

#### 4.1 Description of first aid

**Inhalation:** Move injured individual to fresh air. Seek medical advice.

**Skin contact:** Take off contaminated clothing. Wash the affected area with plenty of water. If the irritation persists seek medical advice.

**Eye contact:** Immediately start to flush the eye with water, rinse for at least 30 minutes. Remove contact lenses, if it can be removed easily, and continue flushing. Eyelids keep opened to wash the entire surface of the eye and eyelids. Seek medical advice immediately.

**Ingestion:** Do not induce vomiting. Person unconscious or convulsing don't give anything by mouth. If possible, give activated carbon in a small amount (1 to 2 crushed tablets). In event of difficulties seek medical advice.

#### 4.2 Most important acute and delayed symptoms and effects

Causes serious eye damage. Causes skin irritation.

#### 4.3 Instruction regarding to immediately medical help and special treatment

In eye contact requires immediate medical help.

### 5. FIRE-FIGHTING MEASURES

#### 5.1 Fire extinguishers

In case of fire use water, foam, sand, dry chemical powder, CO<sub>2</sub>.



## JSC "NEFCO"

Joint-Stock Company "NEFIS COSMETICS" - Kazan Chemical Complex named after M. Vahitov (soap and candle producing factory №1 of the former Krestovnikovs)

### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Date of Issuance: 25.7.2020

Date of Inspection:

BiMax "100 stains" automatic synthetic powder detergent  
TU 2381 -126-00336562-2007

**Unsuitable fire extinguishers:** full water jet.

#### 5.2 Special dangerous arising from the substance or mixture

In case of fire may form carbon dioxide, carbon monoxide. In case of fire, do not inhale smoke.

#### 5.3 Advice for firefighters

Firefighters must wear fire-resistant protective equipment, if needed breathing apparatus. Unauthorised persons dissipate outside the affected area. Containers exposed to fire cool with water.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Safety precautions for the protection of persons, protective equipment and emergency procedures.

Avoid contact with skin and eyes. Do not breathe dust. Use personal protective equipment, see Section 8. Unauthorized personnel dissipate outside the affected area.

#### 6.2 Environmental precautions:

Prevent entry into the drains or waterways.

#### 6.3 Recommended cleaning and disposal methods:

Stop leak if possible. Leak substances pick up or sweep and place in a suitable closable container. Dispose in accordance with Section 13. Clean the affected area with plenty of water.

#### 6.4 Reference to other sections

Section 7 for handling, Section 8 for personal protective equipment, Section 13 for removal.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

When handling do not eat, drink or smoke. Avoid contact with skin and eyes. Do not breathe dust. For incompatible materials, see Section 10. After handling wash hands thoroughly.

#### 7.2 Conditions for safe storage of materials and mixtures, including incompatible substances and mixtures

Store in accordance with local regulations. Store on a dry place. Keep away from food, drinks and feeds.

#### 7.3 Specific end use / Specific end uses

See section 1.

### 8. RESTRICTION EXPOSURE / PERSONAL PROTECTIVE EQUIPMENT

#### 8.1 Control parameters

*Carbonates and bicarbonates of sodium and potassium: PEL 5 mg / m<sup>3</sup> WEL 10 mg / m<sup>3</sup>.*

PEL - permissible exposure limit; NPK-P - highest permissible concentration in the workplace.



## JSC "NEFCO"

Joint-Stock Company "NEFIS COSMETICS" - Kazan Chemical Complex named after M. Vahitov (soap and candle producing factory №1 of the former Krestovnikovs)

### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Date of Issuance: 25.7.2020

Date of Inspection:

BiMax "100 stains" automatic synthetic powder detergent  
TU 2381 -126-00336562-2007

#### **DNEL (derived levels at which no adverse effects):**

*Disodium carbonate, compound with hydrogen peroxide (2: 3):*

DNEL, workers, dermal, short term: 12.8 mg / cm<sup>2</sup>

DNEL, workers, inhaled, long-term: 5 mg / m<sup>3</sup>

DNEL, consumers, dermal, short term: 6.4 mg / cm<sup>2</sup>

#### **PNEC (estimate concentrations at which no adverse effects):**

*Disodium carbonate, mixture with hydrogen peroxide (2: 3):*

PNEC, fresh water: 0.35 mg / l

PNEC, sea water: 0.035 mg / l

PNEC, occasional leak: 0.035 mg / l

PNEC, WWTP: 16.24 mg / l

## 8.2 Restriction of exposure

### 8.2.1 Suitable technical processes

Ensure good ventilation at the workplace.

### 8.2.2 Individual protection including personal protective equipment

Follow the principles of good working hygiene. Avoid contact with skin and eyes. Avoid creating dust. After handling the product wash with soap and water. Near must be installed safety shower and eyewash equipment. When using do not eat, drink or smoke. Contaminated clothes clean thoroughly.

- a) **Protection of face:** When handling larger quantities wear protective goggles.
- b) **Protection of skin:** i) hand – not required  
ii) other parts of body – not required
- c) **Protection of respiratory:** In case of insufficient ventilation use suitable respiratory equipment.
- d) **Thermal dangerous:** data aren't not available

### 8.2.3 Restriction of environment exposure

Do not flush into surface water or sanitary sewer system.

## 9. INFORMATION ABOUT PHYSICAL AND CHEMICAL PROPERTIES:

### 9.1 Informations about basic physical and chemical properties

Appearance:	Granular powder. The presence of colored particles of raw material components is allowed.
Odor:	Characteristic smell of the product with the applied fragrance
Color	Color from white to light yellow.
Odour Threshold:	undefined
pH value:	9,5-10,5
Foaming capacity:	200
height of the foam post, mm, no more	



## JSC "NEFCO"

Joint-Stock Company "NEFIS COSMETICS" - Kazan Chemical Complex named after M. Vahitov (soap and candle producing factory №1 of the former Krestovnikovs)

### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Date of Issuance: 25.7.2020

Date of Inspection:

#### BiMax "100 stains" automatic synthetic powder detergent TU 2381 -126-00336562-2007

Washing capacity,%, not less:	100
Boiling point (range) (°C):	undefined
Melting point (range) (°C):	undefined
Flash point (°C):	undefined
Evaporation rate:	undefined
Flammability:	undefined
Upper / Lower Limits	
Flammability or explosion:	undefined
Vapor tension:	undefined
vapor density:	undefined
Relative density:	undefined
Solubility in water:	soluble
Partition coefficient	
n-octanol / water:	undefined
Decomposition Temperature:	undefined
Viscosity:	undefined
explosive properties:	not explosive
oxidation properties:	does not have oxidizing properties

#### 9.2 Other informations

Further details are not available.

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Under normal conditions it is stable.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of dangerous reactions

Under normal conditions aren't known dangerous reactions.

#### 10.4 Conditions to avoid

Aren't known.

#### 10.5 Incompatible materials

Keep away from oxidizing agents, strong acids and strong alkalis.

#### 10.6 Hazardous decomposition products

Decomposition products don't release under normal conditions.

### 11. TOXICOLOGICAL INFORMATIONS

#### 11.1 Information about toxicological effects

The mixture was not tested. The classification was determined by calculation method.

**Acute toxicity:** Mixture does not meet the criteria for classification.

*Disodium carbonate, mixture with hydrogen peroxide (2:3):*



## JSC "NEFCO"

Joint-Stock Company "NEFIS COSMETICS" - Kazan Chemical Complex named after M. Vahitov (soap and candle producing factory №1 of the former Krestovnikovs)

### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Date of Issuance: 25.7.2020

Date of Inspection:

BiMax "100 stains" automatic synthetic powder detergent  
TU 2381 -126-00336562-2007

LC50,oral, rat:	1034 mg/kg
<i>Benzenesulfonic acid, 4-C10-13- sec. alkyl derivatives:</i>	
LD50, oral, rat:	1470 mg/kg
<b>Corrosion / irritation:</b>	Skin irritant.
<b>Serious eye damage/irritation:</b>	Causes serious eye irritation.
<b>Sensitization:</b>	Does not meet criteria for classification.
<b>Germ cell mutagenicity:</b>	Does not meet criteria for classification.
<b>Carcinogenicity:</b>	Does not meet criteria for classification.
<b>Reproductive toxicity:</b>	Does not meet criteria for classification.
<b>Toxicity for specific target organs - single exposure:</b>	Does not meet criteria for classification.
<b>Toxicity for Specific target organs - repeated exposure:</b>	Does not meet criteria for classification.
<b>Inhalation hazard:</b>	Does not meet criteria for classification.

## 12. ECOLOGICAL INFORMATION:

### 12.1 Toxicity

The mixture was not tested. The classification was determined by calculation method.

*Benzenesulfonic acid, 4-C10-13- sec. alkyl derivatives:*

LC50, fis, Lepomis macrochirus, 96h:	1,67 mg/
EC50, Daphnia magna, 48 h:	2,9 mg/kg

### 12.2 Persistence and degradability

Data for mixtures aren't available.

The surfactants contained in the product comply with the conditions degradability under Regulation 648/2004 / EC.

### 12.3 Bioaccumulative potential

There is no potential for bioaccumulation

### 12.4 Mobility in soil

Data for mixture aren't available.

### 12.5 Results of comparison PBT and vPvB

The mixture contains no PBT or vPvB.

### 12.4 Other adverse effects

Does not meet the criteria for classification as dangerous for the environment.

## 13. INSTRUCTIONS FOR REMOVING

### 13.1 Waste treatment methods

Dispose in accordance with local regulations. Empty containers rinse with water. Do not flush undiluted product into drains or the aquatic environment.

Dispose in accordance with the Waste Act no. 185/2001 Coll., as amended, Decree 381/2001 Coll., Act on Packaging no. 477/2001 Coll. as amended.



## JSC "NEFCO"

Joint-Stock Company "NEFIS COSMETICS" - Kazan Chemical Complex named after M. Vahitov (soap and candle producing factory №1 of the former Krestovnikovs)

### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Date of Issuance: 25.7.2020

Date of Inspection:

BiMax "100 stains" automatic synthetic powder detergent  
TU 2381 -126-00336562-2007

According to the European Waste Catalogue, Waste Codes are not specific for product, but specific for application. Waste codes should be assigned by the user, preferably in discussion with the authorities responsible for waste disposal.

#### 14. TRANSPORT INFORMATIONS

**14.1 UN number**

Not applicable.

**14.2 UN proper shipping name**

Not applicable.

**14.3 Transport hazard class/classes**

Not applicable

**14.4 Packing group**

Not applicable.

**14.5 Environmental hazards**

Not applicable.

**14.6 Special precautions for user**

Data aren't available.

**14.7 Transport in bulk according to Annex II of MARPOL73 / 78 and the IBC Code**

Not applicable.

#### 15. REGULATORY INFORMATIONS

**15.1 Regulations concerning safety, health and environmental regulations / specific legislation for the substance or mixture**

Regulation of the European Parliament and Council (EC) no. 1907/2006 (REACH), Regulation of the European Parliament and Council (EC) no. 1272/2008 (CLP), Regulation of the European Parliament and Council (EC) no. 648/2004 on detergents, Act no. 350/2011 Coll. on chemical substances and mixtures, and on amending certain acts as amended, Act no. 258/2000 Coll. on public health protection, as amended.

**15.2 15.2 Chemical Safety Assessment**

It has not been done.

#### 16. OTHERS INFORMATIONS

Lists of relevant sentences:



## JSC "NEFCO"

Joint-Stock Company "NEFIS COSMETICS" - Kazan Chemical Complex named after M. Vahitov (soap and candle producing factory №1 of the former Krestovnikovs)

### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Date of Issuance: 25.7.2020

Date of Inspection:

BiMax "100 stains" automatic synthetic powder detergent  
TU 2381 -126-00336562-2007

**H272** May intensify fire; oxidant. **H290** May be corrosive to metals. **H302** Harmful if swallowed. **H314** Causes serious skin burns and eye damage. **H315** Causes skin irritation. **H319** Causes serious eye irritation. **H335** May cause respiratory irritation. **H400** Very toxic to aquatic organisms. **H412** Harmful to aquatic life with long lasting effects.

**The Material safety data sheet has been prepared on the basis of information provided by АО «НЭФИС КОСМЕТИКС»**

**Note:**

MSDS aim is to enable users to make the necessary measures related to health, safety at work and environmental protection.

It is the responsibility of persons in receipt of this MSDS to everyone who can use the product, manipulate it, or in any way to come in contact with, were acquainted with the information contained in this document and understand them. If the recipient subsequently produce a product containing this product, it is his sole responsibility to ensure the transfer of all material information from vendor BL to BL their product, in accordance with applicable laws and regulations.

All information and instructions provided in this document are based on the current state of scientific and technical knowledge. The manufacturer will not be liable for any defect of the product, if the occurrence of such a defect could not be based on scientific and technical knowledge at the date of issue BL detectable.